



ORDER FORM

TOLL FREE: 1-888-643-4520

FAX: (514) 643-3316

Dealer: _____

Tag/PO#: _____

Telephone: _____ Fax: _____

Pick Up @ _____

Date Ordered: _____

Ship _____

Date Required: _____

Transport: _____


Signature Required: _____

LINE	Room	Qty	Dimensions		Panel Configuration	Style	Louver size	Color	Hinge color	Mounting Information			Divider		Office use only
			Width	Height						Mount	Frame	Frame Sides	Type	Position	
			All measurements in 1/8"		L=Left R=Right LL=Left bi-fold RR=Right bi-fold T=T post Circle panel to indicate astragal placement.	PV Perfect View (no tilt bar)	2 2.375"	W White	W=White B=Brass C=Chrome I=Ivory	I Inside	C=Casing L	2= I I 3= □	DR Divider rail	Distance from bottom (inches)	Comments
			No frames: widths can be measured in 1/16".			CL Classique (tilt bar)	3 3.375"	I Ivory	O Outside	L Flex Z Full Z 1/2" Z 1/4"	3C=L (café) 4= □ 4S=sill PD=Patio door FD=French door	INV Invisible (split louvers)			
				X											
				X											
				X											
				X											
				X											
				X											
				X											

Technical Specifications:

Inside mount - provide tightest measurements, the plant makes deductions (1/8" width, 1/8" height).
 Outside mount - provide finished dimensions, the plant makes no deductions.
 Minimum charge per panel: 4 square feet.
 Minimum panel width: 12".
 Maximum single panel width: 28".
 Maximum bi-fold panel width: 24" (with frames), 21" (no frames).
 Divider rails required for all single panels over 65" tall and for all bi-folding panels over 50" tall.
 2nd Divider rail required for all panels over 90"
 Ensure inside mount frames will not interfere with lift locks.
 To maintain same size rails and divider positions, order shutters at the same height.
 Top and bottom rail sizes change every 1/8" increments in height.

Uneven T-Post Distances:



Room	1st T-Post	2nd T-Post	3rd T-Post

* Be sure to measure to middle of mullion.

VOID WARRANTY
 Technical specifications exceeded.

Panels exceed maximum width.
 Divider rails do not meet specifications.
 Other...

Signature required: _____